

```
<?php defined('C5_EXECUTE') or die("Access Denied."); ?>

<!DOCTYPE html>
<html lang="<?php echo Localization::activeLanguage() ?>">
<head>
<?php Loader::element('header_required');?>
    <title>livebearers.Club</title>

    <link rel="shortcut icon" href="img/favicon.png">

    <meta name="description" content="">

    <!-- CSS -->
    <link href="<?=$view->getThemePath() ?>/css/preload.css" rel="stylesheet"
media="screen">
    <link href="<?=$view->getThemePath() ?>/css/bootstrap.min.css"
rel="stylesheet"
media="screen">
    <link href="<?=$view->getThemePath() ?>/css/yamm.css" rel="stylesheet"
media="screen">
    <link href="<?=$view->getThemePath() ?>/css/bootstrap-switch.min.css"
rel="stylesheet"
media="screen">
    <link href="<?=$view->getThemePath() ?>/css/font-awesome.min.css"
rel="stylesheet"
media="screen">

    <link href="<?=$view->getThemePath() ?>/css/slidebars.css" rel="stylesheet"
media="screen">

    <link href="<?=$view->getThemePath() ?>/css/jquery.bxslider.css"
rel="stylesheet">
    <link href="<?=$view->getThemePath() ?>/css/syntaxhighlighter/shCore.css"
rel="stylesheet"
media="screen">
    <link href="<?=$view->getThemePath() ?>/css/style-blue.css" rel="stylesheet"
media="screen">
    title="default">
    <link href="<?=$view->getThemePath() ?>/css/width-boxed.css"
rel="stylesheet" media="screen"
title="default">
    <link href="<?=$view->getThemePath() ?>/css/buttons.css" rel="stylesheet"
media="screen">

    <!-- HTML5 shim and Respond.js IE8 support of HTML5 elements and media
queries
-->
    <!--[if lt IE 9]>
        <script src="js/html5shiv.min.js"></script>
        <script src="js/respond.min.js"></script>
    <![endif]-->
</head>

<body>
```

header 部分

```
<div class="<?php echo $c->getPageWrapperClass() ?>">
```

```
<?php
defined('C5_EXECUTE') or die("Access Denied.");
$this->inc('elements/header.php'); ?>
```

```
<div id="sb-site">
  <div class="boxed">
```

```
<header id="header-full-top" class="hidden-xs header-full">
  <div class="container">
    <div class="header-full-title">
      <h1 class="animated fadeInRight"><a href="index.php?cID=1"
class="active">Livebearers. <span>Club</span></a></h1>
      <p class="animated fadeInRight">Wild and Fancy Livebearers</p>
    </div>
    <nav class="top-nav">
      <ul class="top-nav-social hidden-sm">
        <li><a href="#" class="animated fadeIn animation-delay-6
rss"><i class="fa
fa-rss"></i></a></li>
        <li><a href="#" class="animated fadeIn animation-delay-8
facebook"><i class="fa
fa-facebook"></i></a></li>
      </ul>
```

```

      <div class="dropdown animated fadeInDown animation-delay-11">
        <a href="#" class="dropdown-toggle" data-toggle="dropdown"><i
class="fa fa-user"></i></a>
Login</a>
```

```

      <div class="dropdown-menu dropdown-menu-right
dropdown-login-box animated
fadeInUp">
```

```

        <?php
          $a = new Area('log');
          $a->display($c);
        ?>
```

```

      </div>
</div> <!-- dropdown -->
```

```

      <div class="dropdown animated fadeInDown animation-delay-13">
        <a href="#" class="dropdown-toggle" data-toggle="dropdown"><i
class="fa
fa-search"></i></a>
```

```

      <div class="dropdown-menu dropdown-menu-right
dropdown-search-box animated
fadeInUp">
```

```

        <form role="form">
          <div class="input-group">
            <?php
              $a = new GlobalArea('Header Navigation');
              $a->display();
            ?>
```

```

          </div><!-- /input-group -->
        </form>
      </div>
```

```

        </div> <!-- dropdown -->
    </nav>
</div> <!-- container -->
</header> <!-- header-full -->

<nav class="navbar navbar-static-top navbar-default navbar-header-full
navbar-dark" role="navigation"
id="header">
    <div class="container">

        <div class="navbar-header">
            <button type="button" class="navbar-toggle" data-toggle="collapse"
data-target="#bs-example-navbar-collapse-1">
                <span class="sr-only">Toggle navigation</span>
                <i class="fa fa-bars"></i>
            </button>
            <a class="navbar-brand hidden-lg hidden-md hidden-sm active"
href="index.html">Livebearers. <span>Club</span></a>
        </div> <!-- navbar-header -->

        <div class="collapse navbar-collapse" id="bs-example-navbar-collapse-1">

            <?php
                $a = new GlobalArea('menu');
                $a->display();
            ?>

        </div><!-- navbar-collapse -->
    </div><!-- container -->
</nav>

<section>

    <?php
        $a = new Area('banner');
        $a->display($c);
    ?>

</section> <!-- carousel -->

<div class="container">
    <section class="margin-bottom">
        <div class="row">
            <?php
                $a = new Area('content1');
                $a->enableGridContainer();
                $a->display($c);
            ?>
        </div>
    </section>
</div>

<div class="container">
    <section class="margin-bottom">
        <div class="row">
            <?php
                $a = new Area('content2');

```

```

        $a->setAreaGridMaximumColumns(12);
        $a->display($c);
    ?>
</div>
</section>
</div>

<div class="container">
    <section class="margin-bottom">
        <div class="row">
            <?php
                $a = new Area('content3');
                $a->setAreaGridMaximumColumns(12);
                $a->display($c);
            ?>
        </div>
    </section>
</div>

<aside id="footer-widgets">
    <div class="container">
        <div class="row">
            <?php
                $a = new Area('footer');
                $a->enableGridContainer();
                $a->display($c);
            ?>
        </div> <!-- row -->
    </div> <!-- container -->
</aside> <!-- footer-widgets -->

<?php $this->inc('elements/footer.php'); ?>

<?php defined('C5_EXECUTE') or die("Access Denied."); ?>

<footer id="footer">

    <p>| &nbsp; &copy; <?php echo date('Y')?> <a href="<?php echo
DIR_REL?>/"/><?php echo Livebearers.Club?></a>. &nbsp; |
&nbsp;</p>

</footer>

</div> <!-- boxed -->
</div> <!-- sb-site -->

<div id="back-top">
    <a href="#header"><i class="fa fa-chevron-up"></i></a>
</div>

<!-- Scripts -->
<script src="<?=$view->getThemePath()?>/js/jquery.min.js"></script>
<script src="<?=$view->getThemePath()?>/js/jquery.cookie.js"></script>
<script src="<?=$view->getThemePath()?>/js/bootstrap.min.js"></script>

```

footer部分

[無題]

```
<script src="<?=$view->getThemePath()?>/js/bootstrap-switch.min.js"></script>
<script src="<?=$view->getThemePath()?>/js/wow.min.js"></script>
<script src="<?=$view->getThemePath()?>/js/slidebar.js"></script>
<script src="<?=$view->getThemePath()?>/js/jquery.bxslider.min.js"></script>
<script src="<?=$view->getThemePath()?>/js/holder.js"></script>
<script src="<?=$view->getThemePath()?>/js/buttons.js"></script>
<script src="<?=$view->getThemePath()?>/js/stylesheet.js"></script>
<script src="<?=$view->getThemePath()?>/js/jquery.mixitup.min.js"></script>

<!-- Syntaxhighlighter -->
<script
src="<?=$view->getThemePath()?>/js/syntaxhighlighter/shCore.js"></script>
<script
src="<?=$view->getThemePath()?>/js/syntaxhighlighter/shBrushXml.js"></script>
<script
src="<?=$view->getThemePath()?>/js/syntaxhighlighter/shBrushJavaScript.js"></script
>

<script src="<?=$view->getThemePath()?>/js/app.js"></script>
<script src="<?=$view->getThemePath()?>/js/index.js"></script>
</div>

<?php Loader::element('footer_required');?>
</body>
</html>
```